

# RODEO HI BAY



# RODEO HI BAY

## FEATURES

- ELECTRONIC CONTROL GEAR
- ALUMINIUM CONSTRUCTION
- ARCHITECTURAL DESIGN
- ADJUSTABLE SUSPENSION
- MULTIPLE LAMP OPTIONS

## BENEFITS


- LOW ENERGY CONSUMPTION
- HIGH OUTPUT LIGHTING
- EASY MAINTENANCE

## APPLICATIONS

- RETAIL
- SCHOOLS
- RESIDENTIAL
- AGED CARE
- OFFICES
- FOYERS
- RESTAURANTS/CAFES


## RODEO 300MM PENDANTS

- RODEO 300MM ES CFL LAMPS SKU 369010
- RODEO 300MM 70W MH LAMPS SKU 369012



## RODEO 400MM PENDANTS

- RODEO 400MM ES LAMPS SKU 369011
- RODEO 400MM 150W MH LAMPS SKU 369013



# RODEO HI BAY 300MM PENDANT




## RODEO


The Rodeo Hi Bay is a versatile and stylish product. With a silver and black finish and sharp style, this product suits most contemporary spaces, from retail and commercial buildings to a stunning modern home.

The option of lamp types from CFL (Compact Fluorescent) and Metal Halide allows this product to fit into almost all built environments.

SKU	WATTS	DIAMETER	HEIGHT	LAMP	CONT / GEAR	LAMPS
369010	ES CFL	300mm	372mm	ES CFL	N/A	×
369012	70W MH	300mm	372mm	G12 MH	Electronic	×



Light Output Ratio = 54.9%  
SHR-NOM= 0.56  
SHR-MAX= 0.54



- Dimmable options available.
- Photometric data available upon request.

- Above polar curve is for 48 Watt CFL/300mm
- Photometric data available on request.

# RODEO HI BAY 400MM PENDANT




## RODEO


The Rodeo Hi Bay is a versatile and stylish product. With a silver and black finish and sharp style, this product suits most contemporary spaces, from retail and commercial buildings to a stunning modern home.

The option of lamp types from CFL (Compact Fluorescent) and Metal Halide allows this product to fit into almost all built environments.

SKU	WATTS	DIAMETER	HEIGHT	LAMP	CONT / GEAR	LAMPS
369011	ES CFL	400mm	497mm	ES CFL	N/A	×
369013	150W MH	400mm	497mm	G12 MH	Electronic	×



Light Output Ratio = 54.9%  
SHR-NOM= 0.56  
SHR-MAX= 0.54



- Dimmable options available.
- Photometric data available upon request.

- Above polar curve is for 150 Watt Metal Halide
- Photometric data available on request